

Work Order ID 151780

Friday, October 07, 2016 2:34:42 PM

151780

Page 1

Item ID: D3884-2 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Inside RH
Start Date: 10/13/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 10/19/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: VS (Signature) Date: 10/10/11 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3884	C

100

100

HAAS 1

HAAS CNC vertical machine #1

HAAS CNC VERTICAL MACHINING #1

Memo

Program Batch No. 151780Double check by: (Signature)

1-Machine Step No 1 per Folio FA819 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA819 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA819 and inspect per Dimension Sheets

0.03

0.63

4(Signature)DAS
20
9-8916-11-07

110

110

QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

0.01

4(Signature)DAS
20
9-8916-11-07

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Friday, October 07, 2016 2:34:42 PM

151780

Page 2

N900040100

Setup Start *NS1*

Stop *NS2*

4

Cust Item ID:

Start Date: 10/13/2016 **Start Qty:** 4.00

Required Date: 10/19/2016 **Req'd Qty:** 4.00

4

Customer:

Reference:

Approvals: _____ **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Stop *NR2*

Tool ID	Tool #	Plan Code
---------	--------	-----------

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.01

Quality Control

130

Chemical Conversion Coat per QSI005 4.1

0.00

130

HandFinish

Memo

0.08

Hand Finishing

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY						
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER :						
Misidentified ☐	☐	Past Due	☐							

Work Order ID 151780

Friday, October 07, 2016 2:34:42 PM

151780

Page 3

Item ID: D3884-2

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle, Inside RH

Start Date: 10/13/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 10/19/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

140

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

140*m 134798.*

Powdercoat

Memo

0.02

Powder Coating

***MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF
POWDER COAT AS PER INDICATED ON DWG (SEE NOTE 2)***

DO NOT MASK INSIDE FLANGE SURFACE

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

*10:25.
300°
10:55.**4 16-11-10. DAS 34 9-89*

150

QC3- Inspect Part Finish

0.00

150

QC

Memo

0.01

Quality Control

4 *DAS 38 9-89*
NOV 10 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																											
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																							
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																							
Root Cause		FAULT CATEGORY																																																													
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :	
Misidentified ☐	Past Due ☐																																																														

Work Order ID 151780

Friday, October 07, 2016 2:34:42 PM

151780

Page 4

Item ID: D3884-2

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Saddle, Inside RH

Start Date: 10/13/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 10/19/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

Identify as per dwg & Stock Location: 5404

0.00

160

Packaging

Memo

0.01

Packaging

DAS
6
9-89

NOV 10 2016

170

QC21- Final Inspection - Work Order Release

0.00

170

QC

Memo

0.07

Quality Control

DAS
21
9-89

NOV 11 2016

NOV 10 2016

DAS
21
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Friday, October 07, 2016 2:34:41 PM

Page 1

Work Order ID: 151780

151780

Parent Item: D3884-2

D3884-2

Parent Item Name: Saddle, Inside RH

Start Date: 10/13/2016

Required Date: 10/19/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: New issue DD verified by:EC
15.05.20 remove inside powdercoat DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-017		Manufactured	No				Each	33.0000		4			
D6101-017									**	4		DAS	
Saddle Billet												20	16-11-07
												9-89	

Location

Loc Qty

Loc Code

MAT046

33

144956

3

149294

10

151100

20

4

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

DART AEROSPACE LTD		Work Order: 151780
Description: Saddle, Inboard, RH		Part Number: D3884-2
Inspection Dwg: D3884	Rev. C	Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.642	.642	.644	.644		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.612	.615	.614	.614		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.175		.151	.150	.151	.151		
K	1.265	1.285		1.265	1.265	1.265	1.265		
L	0.115	0.135		.125	.125	.125	.125		
M	0.240	0.260		.250	.250	.250	.250		
N	0.110	0.140		.140	.140	.140	.140		
O	0.240	0.260		.253	.252	.253	.251		
P	2.826	2.886		2.856	2.856	2.856	2.856		
Q	0.178	0.198		.188	.188	.188	.188		
R	0.140	0.165		.151	.150	.150	.150		
S	0.720	0.780		.760	.760	.760	.760		
T	1.220	1.280		1.250	1.250	1.250	1.250		
U	1.245	1.255		1.250	1.250	1.250	1.250		
V	5.990	6.010		6.000	6.000	6.000	6.000		
W	2.495	2.505		2.500	2.500	2.500	2.500		
X	0.490	0.510		.499	.498	.500	.500		
Y	0.020	0.040		.030	.030	.030	.030		
Z	0.313	0.318		.314	.314	.314	.314		
AA	0.760	0.765		.761	.761	.761	.761		
AB	0.215	0.220		.218	.218	.218	.218		
AC	0.316	0.321		.316	.316	.316	.316		
AD	1.745	1.755		1.750	1.750	1.750	1.750		
AE	0.990	1.010		1.000	1.000	1.001	1.000		
AF									
Accept/Reject							DAS		


Measured by:	20
Date:	9-89 16-11-07

Audited by:	45
Date:	9-89 2016-11-07

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	
B	15.09.09	Dwg Rev updated	KJ	



D3884-1 SADDLE, INBOARD LH





RELEASED
A.P. 2015 MAY 19
ECN 15-575

- NOTES:**
- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
 - 7) WEIGHT: 1.03 lbs
 - 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
 - 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3884-1-REVC.SLDPRT"

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 151780
16/10/11


C	GENERAL REDRAW & REMOVED UNNECESSARY DIMS; ADDED NOTE 9, REMOVED POWDER COAT FROM INSIDE SURFACE OF D3884-1/2; ADDED D3884-2 TO SHT 3 & 4.	AP	15.02.11
B	D6101-017 WAS D6102-017. ZN A6-1; ADD NOTE ZN C4-2; ADD R0.031 ZN C2-2; INCREASED TOLERANCE 0.175 WAS 0.185 ZN B7-1; ADD 0.615 ZN C6-1; ADD 0.648 ZN C4-1; ADD 0.250 ZN D6-2; ADD 0.060 ZN C2-2; 0.75 WAS 0.65 ZN D7-2	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3884	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	INBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED






D3884-1 SADDLE, INBOARD LH
(AUXILIARY VIEW)

RELEASED
A.R. 2015 MAY 19



APPROVED	DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV. C
	MFG. APPR.	JLM	D3884	SHEET 2 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	INBOARD SADDLE	NTS
	DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



RELEASE
2015 MAY 19

D3884-2 SADDLE, INBOARD RH

NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3884-2-REVC.SLDPRT"





APPROVED

DESIGN	AP
DRAWN	AP
CHECKED	AJS
MFG. APPR.	JLM
APPROVED	HS
DE APPR.	DS
DATE	15.02.11

DART AEROSPACE USA, INC.
KENT, WA

DRAWING NO. **D3884** REV. C
SHEET 3 OF 4
TITLE **INBOARD SADDLE** SCALE NTS

COPYRIGHT © 2014 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



RELEASED
A.P. 2015 MAY 19

APPROVED	DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV. C
	MFG. APPR.	JLM	D3884	SHEET 4 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	INBOARD SADDLE	NTS
	DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	